

ENFEKSİYON HASTALIKLARI TEDAVİ TABLOSU



Dr. Serdar Özdemir
Dr. Serkan Emre Eroğlu

Appandisit Basit erişkin	Operasyon Ampisilin-sulbaktam, 3gr IV, veya Sefoksitin, 2 gr IV, veya Sefazolin <120 kg ise 2g IV, ≥120 kg 3g IV ve metronidazol 500 mg IV kombinasyonu penisilin alerjisi olanlarda klindamisin ile kombine olarak siprofloksasin veya levofloksasin veya gentamisin veya azitreonam ^(1,2)
Perfore erişkin	<i>Ampisilin-sulbaktam</i> , 3gr IV 4x1 veya piperasilin-tazobaktam 3,375-4,5 g IV 4x1 veya tikarsilin –klavunat 3,1 g 6x1 veya seftriakson 1g 1x1, metronidazol 500mg 3x1 kombinasyonu ⁽³⁾
Balanit - kandida	Topikal klotrimazol veya mikanazol 2x1, ciddi yakınmaları olanlarda flukanazol 150mg PO tek doz, imidazol alerjisi olanlarda nistatin krem 100,000 ü / g ⁽⁴⁾
Divertilülit Non komplike	Metronidazol, 500 mg PO. 3x1 VE Siprofloksasin, 500 mg PO. 2x1 veya Levofloksasin, 500 mg PO. 1x1 veya Klindamisin, 300mg PO. 4x1 veya Trimetoprim-sulfametaksazol DS, 2x1 PO, veya Amoksisilin-klavunat, 875 mg PO. 2x1, veya Moksifloksasin, 400 mg PO. 1x1 ^(5,6)
Komplike	Ampisilin-sulbaktam, 3 gr IV 4x1 veya Piperasilin-tazobaktam, 3.35 gr IV 4x1 / 4.5 gr IV 3x1, veya Ertapenem, 1 gr IV 4x1, veya Tikarsilin-klavunat, 3.1 gr IV 4x1 veya Metronidazol, 500mg IV 4x1 ve florokinolon (Levofloksasin, 750 mg IV 1x1 veya Siprofloksasin, 400 mg IV 2x1) veya 3. Kuşak sefalosporin (seftriakson 1 g 1x1) kombinasyonu ⁽⁷⁾

(Devam ediyor)

Kaynaklar

1. Bratzler DW, Hunt DR. The surgical infection prevention and surgical care improvement projects: national initiatives to improve outcomes for patients having surgery. *Clin Infect Dis* 2006; 43:322.
2. Antimicrobial prophylaxis for surgery. *Treat Guidel Med Lett* 2009; 7:47.
3. Mangram AJ, Horan TC, Pearson ML, et al. Guideline for prevention of surgical site infection, 1999. Hospital Infection Control Practices Advisory Committee. *Infect Control Hosp Epidemiol* 1999; 20:250.
4. Edwards SK, European Branch of the International Union against Sexually Transmitted Infection and the European Office of the World Health Organization. European guideline for the management of balanoposthitis. *Int J STD AIDS* 2001; 12 Suppl 3:68.
5. Kellum JM, Sugerman HJ, Coppa GF, et al. Randomized, prospective comparison of cefoxitin and gentamicin-clindamycin in the treatment of acute colonic diverticulitis. *Clin Ther* 1992; 14:376.
6. Ribas Y, Bombardó J, Aguilar F, et al. Prospective randomized clinical trial assessing the efficacy of a short course of intravenously administered amoxicillin plus clavulanic acid followed by oral antibiotic in patients with uncomplicated acute diverticulitis. *Int J Colorectal Dis* 2010; 25:1363.
7. Dharmarajan S, Hunt SR, Birnbaum EH, et al. The efficacy of nonoperative management of acute complicated diverticulitis. *Dis Colon Rectum* 2011; 54:663.
8. Guerrant RL, Van Gilder T, Steiner TS, et al. Practice guidelines for the management of infectious diarrhea. *Clin Infect Dis* 2001; 32:331.
9. Friedenberg F, Fernandez A, Kaul V, et al. Intravenous metronidazole for the treatment of Clostridium difficile colitis. *Dis Colon Rectum* 2001; 44:1176.
10. Hill, DR, Ericsson, CD, Pearson, RD, et al. *The practice of travel medicine: guidelines by the Infectious Diseases Society of America*. *Clin Infect Dis* 2006; 43:1499.
11. Mackell, S. *Traveler's diarrhea in the pediatric population: etiology and impact*. *Clin Infect Dis* 2005; 41:S547.
12. Habib, Gilbert, et al. "Guidelines on the prevention, diagnosis, and treatment of infective endocarditis (new version 2009)," *European heart journal* 30.19 (2009): 2369-2413
13. Workowski KA, Bolan GA, Centers for Disease Control and Prevention. Sexually transmitted diseases treatment guidelines, 2015. *MMWR Recomm Rep* 2015; 64:1.
14. Tyring SK, Beutner KR, Tucker BA, et al. Antiviral therapy for herpes zoster: randomized, controlled clinical trial of valacyclovir and famciclovir therapy in immunocompetent patients 50 years and older. *Arch Fam Med* 2000; 9:863.
15. International clinical practice guidelines for the treatment of acute uncomplicated cystitis and pyelonephritis in women: A 2010 update by the Infectious Diseases Society of America and the European Society for Microbiology and Infectious Diseases
16. MacFadden DR, Ridgway JP, Robicsek A, et al. Predictive utility of prior positive urine cultures. *Clin Infect Dis* 2014; 59:1265.
17. Wang AJ, Wang TE, Lin CC, et al. Clinical predictors of severe gallbladder complications in acute acalculous cholecystitis. *World J Gastroenterol* 2003; 9:2821.
18. Brouwer MC, Tunkel AR, van de Beek D. Epidemiology, diagnosis, and antimicrobial treatment of acute bacterial meningitis. *Clin Microbiol Rev* 2010; 23:467.
19. Amsden GW. Tables of Antimicrobial Agent Pharmacology. In: Principles and Practice of Infectious Diseases, 7th ed., Mandell GL, Bennett JE, Dolin R (Eds), Churchill Livingstone, Philadelphia 2010. p.718.
20. Workowski KA, Bolan GA, Centers for Disease Control and Prevention. Sexually transmitted diseases treatment guidelines, 2015. *MMWR Recomm Rep* 2015; 64:1.
21. File TM Jr, Low DE, Eckburg PB, et al. Integrated analysis of FOCUS 1 and FOCUS 2: randomized, double-blind, multicenter phase 3 trials of the efficacy and safety of ceftaroline fosamil versus ceftriaxone in patients with community-acquired pneumonia. *Clin Infect Dis* 2010; 51:1395.
22. American Thoracic Society, Infectious Diseases Society of America. Guidelines for the management of adults with hospital-acquired, ventilator-associated, and healthcare-associated pneumonia. *Am J Respir Crit Care Med* 2005; 171:388.